

How does Sana work?

Sana can synthesize high-resolution, high-quality images with strong text-image alignment at a remarkably fast speed, deployable on laptop GPU. Core designs include: (1) DC-AE: unlike traditional AEs, which compress images only 8x, we trained an AE that can compress images 32x, effectively reducing the number of latent tokens.

What is Sana - a text-to-Image framework?

We introduce Sana, a text-to-image framework that can efficiently generate images up to 4096 x 4096 resolution. Sana can synthesize high-resolution, high-quality images with strong text-image alignment at a remarkably fast speed, deployable on laptop GPU.

How is Sana different from its predecessors?

To begin, we need to articulate how Sana is different from its predecessors. In practice, Sana is a text-to-image diffusion model capable of creating images at high resolutions (4096x4096) at lightning fast speeds.

What is Sana 0.6b?

As a result, Sana-0.6B is very competitive with modern giant diffusion models (e.g. Flux-12B), being 20 times smaller and 100+ times faster in measured throughput. Moreover, Sana-0.6B can be deployed on a 16GB laptop GPU, taking less than 1 second to generate a 1024 x 1024 resolution image. Sana enables content creation at low cost.

Why should you choose sana-0.6b?

As a result, Sana-0.6B is very competitive with modern giant diffusion model (e.g. Flux-12B), being 20 times smaller and 100+ times faster in measured throughput. Moreover, Sana-0.6B can be deployed on a 16GB laptop GPU, taking less than 1 second to generate a 1024 x 1024 resolution image. Sana enables content creation at low cost.

What is Nvidia Sana?

In practice, Sana is a text-to-image diffusion model capable of creating images at high resolutions (4096x4096) at lightning fast speeds. These speeds and high resolutions are made possible by several new developments the NVIDIA team has made to improve on the original Latent Diffusion Model designs. These include, but are not limited to:

Model Description Developed by: NVIDIA, Sana Model type: Linear-Diffusion-Transformer-based text-to-image generative model Model size: 1648M parameters Model resolution: This model is developed to generate 1024px based images with multi-scale height and width. License: CC BY-NC-SA 4.0 License Model Description: This is a model that can be used to generate and ...

Example Circuit Description Input; 29.1.3. Models and Subcircuits; 29.1.4. Device Models; 29.1.5. Subcircuits; 29.1.6. XSPICE Code Models; 29.1.7. Node Bridge Models; 29.1.8. ... The capacitor model contains process information that may be used to compute the capacitance from strictly geometric information.

Name Parameter Units Default

A real world model of an electrolytic capacitor. Shows the capacitor (C), the dielectric leakage resistance (R leakage), and the effective series resistance and inductance (R ESR and L ESL). ... Description=A real world model of an electrolytic capacitor. Shows the capacitor (C), the dielectric leakage (R_{leakage}), and the effective ...

Wet Tantalum Capacitors WET TANTALUM CAPACITORS PICTORIAL MODEL CASE CODES DESCRIPTION PAGE MIL-PRF-39006 CLR65 M39006/09 CLR69 M39006/21 CLR79 M39006/22 CLR81 M39006/25 CLR90 M39006/30 CLR91 M39006/31 T1, T2, T3, T4 Wet tantalum capacitors: Axial lead, tubular, hermetically sealed, metal case. These capacitors are MIL-PRF ...

This paper presents a dynamic part of the pump stage model of the cross-coupled charge pump. The complex model has been used for both the estimation of the N-stage pump properties in a wide range of the input parameters and derivation of equations for synthesis process, as the main capacitor sizing, which is also mentioned in the article. Dynamic part of ...

Model Description Developed by: NVIDIA, Sana; Model type: Linear-Diffusion-Transformer-based text-to-image generative model; Model size: 1648M parameters; Model resolution: This model is developed to generate 4Kpx based images with multi-scale height and width. License: NSCL v2-custom. Governing Terms: NVIDIA License.

6 ???· We introduce Sana, a text-to-image framework that can efficiently generate images up to 4096 × 4096 resolution. Sana can synthesize high-resolution, high-quality images with ...

Power integrity and system engineers have the task of designing, optimizing, and assessing the power distribution network impedance. EM simulators are used to model these networks to optimize the decoupling capacitors and to perform worst case assessments, using simulated dynamic chip currents and applying worst case tolerances. Once the hardware is constructed, ...

Model Description: This is a model that can be used to generate and modify images based on text prompts. It is a Linear Diffusion Transformer that uses one fixed, ...

We introduce Sana, a text-to-image framework that can efficiently generate images up to 4096 × 4096 resolution. Sana can synthesize high-resolution, high-quality images with strong text-image alignment at a remarkably fast speed, ...

To extract the layout model of the MOM, the following is done: 1) the layout of the chosen MOM capacitor

cell, provided by the technology, is flattened; and 2) the extracted model of this ...

Web: <https://www.vielec-electricite.fr>