

Does a dual-channel solar thermal storage wall reduce airflow?

A dual-channel solar thermal storage wall system with eutectic phase change material is studied. The full-day cooling load in summer and heating load in winter can be both decreased by this novel system. To investigate the airflow in the dual channel, mixed area assumptions based on the experimental results are summarized.

Is a solar thermal system based on a PCM heat storage wall?

Li et al. proposed a new type of a solar thermal system coupled with an active PCM heat storage wall using a composite of the paraffin wax and perlite, and continuously monitored the indoor temperature to verify the accuracy of the heat transfer model.

Can a controllable heater replace solar thermal input?

One of the most investigated and broadly used mediums in the solar thermal storage systems is using phase change materials. In this research, a comprehensive performance test bench for solar thermal utilization system using a controllable heater to substitute different levels of solar input was established.

Does heat storage system performance depend on design parameters?

The performance of the heat storage system was analyzed, and the effect of different design parameters such as the thermal conductivity of the PCM, the heat transfer fluid flow rate and the diameter of the heat exchange tube on the system performance was studied.

How to improve solar thermal efficiency?

Although the medium and low temperature solar collectors have the advantages of simple structure and low cost, the intermittency and instability greatly limit its development. Using thermal energy storage systems (TES) to improve solar thermal efficiency is one of the important ways to enhance the utilization of solar energy.

Can a solar-assisted heating system be used in industrial processes?

Kumar et al. applied a TES to the solar-assisted heating system in an industrial process. A useful model was developed based on the combination of the solar photovoltaic thermal collectors (PVT) and flat panel solar collectors (FPC), which produced as high as 1420 W power, 75% thermal efficiency and 12.72% exergy efficiency.

Rate capability and Ragone plots for phase change thermal energy storage. Nat. Energy, 6 (2021), pp. 295-302. Crossref View in Scopus Google Scholar. 66. ... Experimental study of small-scale solar wall integrating phase change material. Sol. Energy, 86 (2012), pp. 208-219. View PDF View article View in Scopus Google Scholar. 68.

Semantic Scholar extracted view of "Study of two passive solar systems containing phase change

materials for thermal storage" by L. Bourdeau. Semantic Scholar extracted view of "Study of two passive solar systems containing phase change materials for thermal storage" by L. Bourdeau. ... A traditional Trombe wall is known as a high thermal-mass ...

[Show full abstract] in solar greenhouse, the constructed method of a three-layer wall with phase-change thermal storage, that is, the inner wall built with the phase change material (PCM ...

The phase-change temperature of the material is 26 °C, the phase-change enthalpy is 108 J/g, the thermal conductivity is 0.21 W/(mK), and the specific heat capacity of 1.50 J/(gK). The thermal parameters of cement mortar, main wall, EPS insulation board and other materials are shown in Table 4.

The building sector is a significant contributor to global energy consumption, necessitating the development of innovative materials to improve energy efficiency and sustainability. Phase change material (PCM)-enhanced concrete offers a promising solution by enhancing thermal energy storage (TES) and reducing energy demands for heating and ...

Due to the energy shortage and air pollution caused by heating emissions, solar energy becomes the first choice for clean heating in China. On this basis, a novel solar thermal system coupling with active phase-change material heat storage wall (STS-APHSW) is proposed in this study. And the thermal performance of STS-APHSW is numerically explored by one ...

A combined solar phase-change thermal-storage heating system is proposed, wherein erythritol is used as the phase-change material (PCM) used to fill the thermal ...

A dual-channel solar thermal storage wall system with eutectic phase change material is studied. The full-day cooling load in summer and heating load in winter can be both decreased by this novel ...

The thermal storage wall utilizes a south-facing wall which is covered by one or two sheets of glass or plastic (Figure 1). Thermal storage walls typically use concrete or other massive structural materials to store heat. As with direct gain systems, insulating shutters can be used to cover the glass at night to reduce loss and thence may be opened and closed to restrict air flow during ...

The present work proposes a modified solar PCM storage wall technology that combines Trombe-wall-like technology and phase change material storage technology, i.e. the dual-channel and thermal-insulation-in-the-middle type ...

latent heat storage, phase change materials (PCMs), solar wall, thermal storage wall, Trombe wall. 1 | INTRODUCTION. Energy has constantly been the ...

Web: <https://www.vielec-electricite.fr>

